n is 0;

R is -(CH<sub>2</sub>)<sub>m</sub>-W wherein m is 0 and W is -C(O)<sub>2</sub>-G wherein G is hydrogen;

 $R_1$  and  $R_2$  are independently selected from the group consisting of loweralkyl, alkenyl, alkynyl, alkoxyalkyl, alkoxyarbonylalkyl, hydroxyalkyl, haloalkyl, haloalkoxyalkyl, alkoxyalkoxyalkyl, cycloalkyl, cycloalkylalkyl, aminocarbonylalkyl, alkylaminocarbonylalkyl, aminocarbonylalkenyl, alkylaminocarbonylalkenyl, dialkylaminocarbonylalkenyl, hydroxyalkenyl, aryl, arylalkyl, aryloxyalkyl, arylalkoxyalkyl, (N-alkanoyl-N-alkyl)aminoalkyl, alkylsulfonylamidoalkyl, heterocyclic, (heterocyclic)alkyl and  $(R_{aa})(R_{bb})N-R_{cc}$ - wherein  $R_{aa}$  is aryl or arylalkyl,  $R_{bb}$  is hydrogen or alkanoyl and  $R_{cc}$  is alkylene; and

 $R_3$  is  $R_4$ -C(O)- $R_5$ - wherein  $R_5$  is alkylene and  $R_4$  is selected from the group consisting of

(i)  $(R_{11})(R_{12})N$ - wherein  $R_{11}$  is hydrogen and  $R_{12}$  is selected from the group consisting of arylalkyl, and diarylalkyl

and

(ii) (R<sub>11a</sub>)(R<sub>12a</sub>)N-N(H)- wherein R<sub>11a</sub> and R<sub>12a</sub> are independently selected from the group consisting of aryl and alkyl;

or a pharmaceutically acceptable salt thereof.

21 (Amended). The compound according to claim 1 of the formula:

157 (Amended). The compound according to claim 1 wherein  $R_1$  is aryl substituted with one substituent selected from the group consisting of methoxy, methoxyethoxy, and isopropoxyethoxy;  $R_2$  is 1,3-benzodiox-5-yl;  $R_5$  is methylene, and  $R_{12}$  is selected from the group consisting of arylalkyl and diarylalkyl wherein each aryl group of the diarylalkyl is substituted with methyl or ethyl.

158 (Amended). The compound according to claim 1 wherein  $R_1$  is phenyl substituted with one substituent selected from the group consisting of methoxy, methoxyethoxy, and isopropoxyethoxy;  $R_2$  is 1,3-benzodiox-5-yl;  $R_5$  is methylene; and  $R_{12}$  is selected from the group consisting of phenylalkyl and diphenylalkyl wherein each phenyl group of the diphenylalkyl is substituted with methyl or ethyl.

159 (Amended). The compound according to claim 21 wherein  $R_1$  is aryl substituted with one substituent selected from the group consisting of methoxy, methoxyethoxy, and isopropoxyethoxy;  $R_2$  is 1,3-benzodiox-5-yl;  $R_5$  is methylene; and  $R_{12}$  is selected from the group consisting of arylalkyl and diarylalkyl wherein each aryl group of the diarylalkyl is substituted with methyl or ethyl.

160 (Amended). The compound according to claim 21 wherein  $R_1$  is phenyl substituted with one substituent selected from the group consisting of methoxy, methoxyethoxy, and isopropoxyethoxy;  $R_2$  is 1,3-benzodiox-5-yl;  $R_5$  is methylene; and  $R_{12}$  is selected from the group consisting of phenylalkyl and diphenylalkyl wherein each phenyl group of the diphenylalkyl is substituted with methyl or ethyl.

Please add new claim 161.

161 (New). A compound selected from the group consisting of trans, trans-2-(4-methoxyphenyl)-4-(1,3-benzodioxol-5-yl)-1-(N-((bis-otolyl)methyl)aminocarbonylmethyl)pyrrolidine-3-carboxylic acid, trans, trans-2-(4-(2-methoxyethoxyphenyl)-4-(1,3-benzodioxol-5-yl)-1-(N-(2,2dimethyl-1-phenylpropyl)-1-aminocarbonylmethyl)pyrrolidine-3-carboxylic acid, trans, trans-2-(4-(2-methoxyethoxy)phenyl)-4-(1,3-benzodioxol-5-yl)-1-(N-((bis-otolyl)methyl)amino)carbonylmethyl)pyrrolidine-3-carboxylic acid,  $trans,\,trans-2-(4-(2-isopropoxyethoxy)phenyl)-4-(1,3-benzodioxol-5-yl)-1-(N-(2,2-isopropoxyethoxy)phenyl)-4-(1,3-benzodioxol-5-yl)-1-(N-(2,2-isopropoxyethoxy)phenyl)-4-(1,3-benzodioxol-5-yl)-1-(N-(2,2-isopropoxyethoxy)phenyl)-4-(1,3-benzodioxol-5-yl)-1-(N-(2,2-isopropoxyethoxy)phenyl)-4-(1,3-benzodioxol-5-yl)-1-(N-(2,2-isopropoxyethoxy)phenyl)-4-(1,3-benzodioxol-5-yl)-1-(N-(2,2-isopropoxyethoxy)phenyl)-4-(1,3-benzodioxol-5-yl)-1-(N-(2,2-isopropoxyethoxy)phenyl)-4-(1,3-benzodioxol-5-yl)-1-(N-(2,2-isopropoxyethoxy)phenyl)-4-(1,3-benzodioxol-5-yl)-1-(N-(2,2-isopropoxyethoxy)phenyl)-4-(1,3-benzodioxol-5-yl)-1-(N-(2,2-isopropoxyethoxy)phenyl)-4-(1,3-benzodioxol-5-yl)-1-(N-(2,2-isopropoxyethoxy)phenyl)-4-(1,3-benzodioxol-5-yl)-1-(N-(2,2-isopropoxyethoxy)phenyl)-4-(1,3-benzodioxol-5-yl)-1-(N-(2,2-isopropoxyethoxy)phenyl)-4-(1,3-benzodioxol-5-yl)-1-(N-(2,2-isopropoxyethoxy)phenyl)-4-(1,3-benzodioxol-5-yl)-1-(N-(2,2-isopropoxyethoxy)phenyl)-4-(1,3-benzodioxol-5-yl)-1-(N-(2,2-isopropoxyethoxy)phenyl)-4-(1,3-isopropoxyethoxy)phenyl)-4-(1,3-isopropoxyethoxy)-4-(1,3-isopropoxyethoxy)-4-(1,3-isopropoxyethoxy)-4-(1,3-isopropoxyethoxy)-4-(1,3-isopropoxyethoxy)-4-(1,3-isopropoxyethoxy)-4-(1,3-isopropoxyethoxy)-4-(1,3-isopropoxyethoxy)-4-(1,3-isopropoxyethoxyethoxy)-4-(1,3-isopropoxyethoxyet$ dimethyl-1-phenylpropyl)-1-amino)carbonylmethyl)pyrrolidine-3-carboxylic acid, trans, trans-2-(4-methoxyphenyl)-4-(1,3-benzodioxol-5-yl)-1-(N-(3,3-dimethyl-1phenylbutyl)-1-amino)carbonylmethyl)pyrrolidine-3-carboxylic acid, trans-2-(4-(2-isopropoxyethoxy)phenyl)-4-(1,3-benzodioxol-5-yl)-1-(N-((1-o-isopropoxyethoxy)phenyl)-4-(1,3-benzodioxol-5-yl)-1-((1-o-isopropoxyethoxy)phenyl)-4-(1,3-benzodioxol-5-yl)-1-((1-o-isopropoxyethoxy)phenyl)-4-(1,3-benzodioxol-5-yl)-1-((1-o-isopropoxyethoxy)phenyl)-4-(1,3-benzodioxol-5-yl)-1-((1-o-isopropoxyethoxy)phenyl)-4-(1,3-benzodioxol-5-yl)-1-((1-o-isopropoxyethoxy)phenyl)-4-(1-o-isopropoxyethoxy)-4-(1-o-isopropoxyethoxy)-4-(1-o-isopropoxyethoxy)-4-(1-o-isopropoxyethoxy)-4-(1-o-isopropoxyethoxy)-4-(1-o-isopropoxyethoxyethoxyethoxyethoxyethoxyethoxyethoxyethoxyethoxyethoxyethoxyethoxyethoxyethoxyethoxyethoxyethoxyethoxyetoulyl)-1-(o-ethylphenyl)methyl)amino)carbonylmethyl)pyrrolidine-3-carboxylic acid, trans, trans-2-(4-(2-(2-propoxy)ethoxy)phenyl)-4-(1,3-benzodioxol-5-yl)-1-(N-phenyl-N-t-butylhydrazinocarbonylmethyl)pyrrolidine-3-carboxylic acid, and trans, trans-2-(4-(2-methoxyethoxy)phenyl)-4-(1,3-benzodioxol-5-yl)-1-(N-phenyl-N-tbutylhydrazinocarbonylmethyl)pyrrolidine-3-carboxylic acid, or a pharmaceutically acceptable salt thereof.